

# artnovion

## Komodo SQR - Ceiling Tile


Acoustic Ceiling Tile ( T frame compatible )



Performance



### Technical Information





### Features

Absorption Range: 350 Hz to 3150 Hz Acoustic Class: C | (aw) = 0,7

This product is available in the following Fire Rates: FG | Furniture Grade FR | Fire Rated

PRODUCT COMPOSITION:

Komodo SQR | Natural Wood Veneer | Primer Finished HMDF (FG) - Natural Wood Veneer | Primer Finished HMDF \* - Sound PET acoustic core - Euro Class B

Komodo SQR | Natural Wood Veener | Lacquered Fire retardant HMDF (FR)

- Natural Wood Veneer | Lacquered Fire Retardant HMDF

- Sound PET acoustic core - Euro Class B

\* finished with a white or black primer paint that gives it a raw, matte effect.

- Perforated area: 17%

### Dimensions:

FG - PP | 595x595x38mm | 3.0 Kg FG - LW | 595x595x38mm | 3.0 Kg FG - NW | 595x595x38mm | 3.0 Kg FR - LW | 595x595x39mm | 3.0 Kg FR - NW | 595x595x39mm | 3.0 Kg



## Komodo SQR - Ceiling Tile

Acoustic Ceiling Tile ( T frame compatible )

The refurbished Artnovion ceiling tile range is the perfect acoustic solution to apply on any T-frame grid system. This product line features adapted versions of the panel designs you love, all fully compatible with public building regulations and available in 4 different sizes - two for metric sized (M) and two for imperial sized (I) grid structures. Our ceiling tiles provide a simple, fast installation procedure in multiple environments such as shopping centers, offices, clinics and waiting rooms.

## Product finishes

(FG - PP) Painted Primer Finishes



FG | (L11) Raw White

FG | (L12) Raw Black

FG | (L17) RAL 9005

FR | (L17) RAL 9005

## (FG - LW) Lacquered Wood Finishes



FG | (L16) RAL 9003

## (FG - NW) Natural Wood Finishes







Natura

FG | (W08) Wenge Natura FG | (W09) Black Walnut Natura

### (FR - LW) Lacquered Wood Finishes



FR | (L16) RAL 9003

## (FR - NW) Natural Wood Finishes









### Purpose

- RT Reduction - Improving speech intelligibility - High frequency absorption

# Recommended for

- Office
- Hospitality
- Public Spaces
- Conference Room - Auditorium